

PAK SUZUKI MOTOR CO. LTD.

Head Office Karachi:

DSU-13, Pak Steel Industrial Estate, Bin Qasim, Karachi. Call Centre: 111-SUZUKI (021-111-789-854) Tel: 34723551-58 Fax: 34723521-3 E-mail: customercentre@paksuzuki.com.pk Website: www.suzukipakistan.com

Regional Office South: Plot No. 49-B, Block No. 6, PECHS. Main Shahrah-e-Faisal.

Regional Office Central Punjab: 1ST FLOOR, SILVER STAR MALL, FORTRESS STADIUM, LAHORE Tel: 042-35775456-7

Fax: 042-35775467

Regional Office South Punjab: Office No. 402, 4th Floor, United Mall, Abdali road, Multan Tel: 061-4586489, 4516491, Fax: 061-4581353

f Suzuki Pakistan 🔃 Suzuki Pakistan 🗮 SuzukiPakistan

Suzuki Pakistan

Regional Office North:

3rd Floor Malhi Plaza, Opp. Ministry of Defence, Production Building, Murree Road, Rawalpindi, Cantt. Tel: 051-5130229-31 Fax: 051-5130232



THE CAR FOR THE NEW GENERATION

FUEL-EFFICIENT - SPACIOUS - MODERN DESIGN
JAPANESE TECHNOLOGY - WARRANTY: 3 YEARS OR 60,000 KM





The all new Suzuki Alto is revving up to add pace in your life. From economy to aesthetics and from spaciousness to technology, the new model gives you everything in one car, so that you're in control of your life. The all new Alto offers an exuberant experience for the young generation and also for those who are young at heart.

With improved manoeuvrability, fuel efficiency, optimal power-to-weight ratio and a spacious body, the all new Alto has been designed as an excellent hatchback car offering its young audience enhanced performance, quality and reliability.

PROPORTIONS TO DRIVE FOR

The aerodynamic design with unique lines and curves gives the car a young and vibrant look. The design of all the panels, the wheelbase and the cabin will certainly please your senses. The aesthetically designed door panels accentuate the richness of the sharp design as well as gives the car a lively appearance.





IRRESISTIBLY STYLISH BACK

The unique rear end design inspires a moment of awe and appreciation. The back door emphasizes the shape of the rear end while the tail lamps fitted in the rear bumper complete the compact design. The all new Alto comes in a variety of colours and you might find it difficult to settle for a choice.





COLOURS







Silky Silver



ver

Solid White















ENHANCED COMFORT AND CONVENIENCE

The all new Alto is a highly efficient performance car that makes your daily shopping and outings a pleasant experience. Spacious cabin and storage accessories of the new model ensure complete comfort for you and your family.





SRS Airbags

When the sensor detects more than a certain impact, the airbag is instantly deployed. Together with the effects of the seat belt, it reduces the impact on the head and chest of front occupants.

- Since the SRS airbag system is a device to assist the seat belt, be sure to wear a seat belt.
- * Be sure to read the instruction manual carefully as there are items to be noted.

SRS = Supplemental Restraint System



Seat Belt

Suzuki Alto is equipped with seat belts. A seat belt reduces the likelihood of death or serious injury in a traffic collision by reducing the force of secondary impacts with interior strike hazards, by keeping occupants positioned correctly for maximum effectiveness of the airbag (if equipped), and by preventing occupants being ejected from the vehicle in a crash or if the vehicle rolls over.



vehicle theft.

When the security alarm system is activated and the door is unlocked by an operation other than the request switch or keyless entry, a hazard theft alarm and a horn alert you.

When the immobilizer engine is started, the ID code on the portable remote

control side and the vehicle side is electronically authenticated. The engine will


not start if there is no match and the immobilizer will effectively suppress

ABS with EBD

During sudden braking on slippery surfaces, four-wheel ABS is activated. It prevents tyre locks, stabilizes the car body, and helps handle obstacles by steering. Furthermore, it is equipped with an EBD (Electronically Controlled Braking force Distribution System) that automatically helps maintain control by sending the optimum amount of force to the front and rear wheels.

ABS = Anti-lock Brake System

EBD = Electronic Brake force Distribution ER Impact Mitigation Structure











ACCESSORIES



REAR UPPER SPOILER

More than an accessory for outlook, the rear upper spoller enhances the airflow over the vehicle.



STEERING WHEEL COVER

The all new Alto offers an exquisitely designed steering wheel cover that enhances the overall look of the interior.



SEAT COVER

The exquisite seat covers of the all new Alto 660CC give the interior an elegant feel. The colours of the seats perfectly harmonize with other aspects of the vehicle.



SPARE TYRE KIT

Your spare tyre kit is set to assist you whenever you need to replace the wheel of the vehicle.

MANOEUVRABILITY


With its tight turning circle, the all new Alto is capable of working through streets with immense ease.



SPACIOUSNESS

The interior of the all new Alto is designed for comfort and convenience.

Whether you're driving in the town or going for a long drive, you will be pleased to recline and relax in the spacious interior of the car.



^{*}Accessories are not included in standard variants.

MAJOR EQUIPMENT

	VX	VXR	VXR AGS	VXL
Transmission	5MT	5MT	AGS	AGS
Drive	2WD	2WD	2WD	2WD
SAFETY, SEC	URITY AND EN	VIRONMENTAL CO	MPATIBILITY	
Dual airbags	×	•		•
ABS	x	x	•	•
Front seat belt force-limiters	x	•	•	•
High-mounted stop lamp	•	•	•	•
Front disc brake	•	•	•	•
Immobilizer	•	•	•	•
Childproof rear door locks	•	•	•	•
Hill Hold Control	x	×	•	•
	CON	MFORT		
Air conditioner	x	•	•	•
Heater	•	•	•	•
Front defroster/Side demister	•	•	•	•
Audio	1 Din	2 Din	2 Din	Touch screen
Antenna	•	•	•	•
Number of speakers	x	Front2	Front2	Front2
Audio bracket	•	•	•	•
Keyless entry	•	•	•	•
Security system	•	•	•	•
Central door locks	•	•	•	•
Electric windows (Power windows)	x	x	×	•
Power steering	•	•	•	•
Touch screen	x	x	x	•
	INSTRUM	IENT PANEL		
Low fuel warning lamp	•	•	•	•
Accessory socket	•	•	•	•
Door ajar warning light	•	•	•	•
Side louvre accent	•	•	•	•

Glove box lid					
IP centre under tray		•	•	•	
Dial-type climate cor	itrol	•	•	•	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
		INTE	RIOR		
Sun visor					
Assist grips		•	•	•	•
Cabin light (3-positio	n)	•	•	•	•
Floor carpet		•	•	•	•
Floor console		•	•	•	•
Drink holders	Front 2	•	•	•	•
	Rear 2	•	•	•	•
Interior colour		Single Tone	Single Tone	Single Ton	e Dual Tone
Speaker grille		•	•	•	•
		EXTE	RIOR		
Front grille		•	•	•	•
Outside mirrors type		Foldabl	le with Mirror adju	stment	Electrical retractable
Coloured door mirror			Black piano		•
Outside door handles	- coloured	Black	Black	Black	•
Front & Rear Bumper		Unpainted	Painted	Painted	Painted
		OTH	IERS		
Door switch		5	5	5	5
Full wheel covers		x(Centre cap)	x(Centre cap)	x(Centre ca	ap) •
Spare tyre		Repair kit	Repair kit	Repair kit	t Repair kit
Key off reminder/Aud	ible on reminder	•	•	•	•
Tyre size		145/80R13	145/80R13	145/80R1	3 145/80R13
Available	w Not available		240/001120	1 10,00111	2 210,001120

x Not available

PAK SUZUKI MOTOR COMPANY LTD reserves the right to change, without notice, prices, colours, material, equipment, specifications and models and also to discontinue models.

MAJOR SPECIFICATIONS

Steering		RHD	
Number of doors		5	
Engine		Petrol 0.658L	
DIMENSIONS		1 Ct O 1 0.030E	
Overall length	mm	3,395	
Overall width	mm	1,475	
Overall height	mm	1,490	
Wheelbase	mm	2,460	
Tread	Front	mm	1,305
	Rear	mm	1,310
Minimum turning radius	m	4.2	
Minimum ground clearance	mm	170	
CAPACITIES			
Seating capacity	Persons	4	
Fuel tank capacity	Litres	27	
Luggage capacity		125 litres / 446 li	tres
ENGINE			
Туре		R06A	
Number of cylinders		3	
Number of valves		12	
Piston displacement	cm3	658	
Bore X stroke	mm	64.0 x 68.2	
Compression ratio		10 : 1	
Maximum output	kW / rpm	29 / 6,500	
Maximum torque	N.m / rpm	56 / 4,000	
Fuel distribution		Multipoint Injection	on
TRANSMISSION			
Туре		5MT	AGS
Gear Ratio	1st	4.300	4.300

	2nd	2.470	2.588	
	3rd	1.521	1.608	
	4th	1.093	1.093	
	5th	0.897	0.837	
	Reverse	3.272	3.272	
Final gear ratio		4.388	4.705	
WEIGHTS				
Kerb weight	Kg	650 / 670		
Gross Weight	Kg	1,050		
CHASSIS				
Steering		Rack & pinion		
Brakes	Front	Solid disc		
	Rear	Drum, leading	& trailing	
Suspension	Front	MacPherson strut with coil spring		
	Rear	Torsion beam v	Torsion beam with coil spring	
Tyres		145 / 80R13		

^{*}This specification is subject to change without prior notice.

Dimensional Car Unit (x2 WD Car) Unit: mm







