

Exterior Colours | Sand Beige | Pearl Red | Silky Silver | Cerulean Blue | White | Graphite Gray | Super Pearl Black



PAK SUZUKI MOTOR CO. LTD.

Head Office Karachi:
DSU-13, Pak Steel Industrial Estate, Bin Qasim, Karachi.
Call Centre: 111-SUZUKI (021-111-789-854) Tel: 34723551-58 Fax: 34723521-3
E-mail: customercentre@paksuzuki.com.pk Website: www.paksuzuki.com.pk

Region Office Lahore: 7-A, Aziz Avenue, Canal Bank Road, Gulberg-5, Lahore. Tel: 042-35775456-7 Fax: 042-35775467


Region Office Rawalpindi: 3rd Floor Malhi Plaza, Opp. Ministry of Defence, Production Building, Murree Road, Rawalpindi, Cantt. Tel: 051-5130229-31 Fax: 051-5130232

Region Office Multan: Office No. 402, 4th Floor United Mall, Abdali Road, Multan. Tel: 061-4586489, 4516491 Fax: 061-4581353

Suzuki Pakistan Suzuki Pakistan Suzuki Pakistan Suzuki Pakistan

NEW BEGINNING DIFFERENT ATTITUDE

SUZUKI



DEFINE YOUR SPACE

When it comes to interior space and comfort, the New Cultus is head and shoulders above the rest. With ample room for legs and big ideas, you can stretch out and relax while driving to your destination.



A COMPLETE NEW LOOK

While the easy-to-read meters are sleek and stylish, there is much more to the New Cultus. The high seating position and expanded visibility increases the sense of freedom, while the interior design exudes superior comfort and space. The Aerodynamic exterior combined with the power of the K-Series engine makes driving through the city easy and extremely stylish.















High-legibility meters

Integrated audio system with bluetooth

READY FOR THE LONG ROAD

Behind the wheel or just going for the ride, with the New Cultus, know that you are in good hands. A combination of technology, design and safety features ensure that you are always in control.



K10B Engine The K10B 1.0-litre petrol engine offers dynamism in a lightweight design. Not only do you get to enjoy the quick, vigorous drive, the weight-reducing innovations to the engine unit, mounts, radiator and fuel tank offer better fuel performance.



A new 5-speed manual transmission provides comfort in traffic and smooth acceleration through all five gears. Numerous innovations help save fuel by minimising torque loss.




Newly Developed Front and Rear Suspension Minimum Turning Radius The suspension has been designed with ride comfort and handling in mind. Beyond achieving great performance, The New Cultus also incorporates weight- and space-saving innovations.

Even with room for five, The New Cultus's compact turning radius makes navigating even tight city streets effortless.






Front airbags mitigate the impact to driver and front passenger in the event of a frontal collision.




High-rigidity, Low-weight Body Making effective use of high-tensile materials, Suzuki Total Effective Control Technology (TECT) realises a high-rigidity, low-weight body that improves collision safety.

System (ABS)











EXCITING ACCESSORIES

The New Cultus has great presence on the road. But you can enhance it further by adding some trendy accessories.





^{*} Accessories are not included in standard variants.

EXPLORE YOUR WORLD

With luggage space that's larger than ever before, there is no need to worry about what to bring. New Cultus's low-to-ground tailgate opens wide, offering easy loading and unloading for everything you could possibly need. So head out with confidence, pride and power.



Accessories socket Shopping bag hook Front door pockets Glove box

MORE LUGGAGE SPACE

The New Cultus offers more than enough luggage capacity to fit your lifestyle, including convenient hooks for holding shopping bags in place. For large and odd-shaped cargo, the rear seats offer a variety of setups.
































Steering			RHD	
Number of doors			5-door	
Engine			Petrol	
			1.0L	
Drive system			2WD	
DIMENSIONS				
Overall length		mm	3,600	
Overall width		mm	mm 1,600	
Overall height		mm	1,540	
Wheelbase		mm	2,425	
Tread	Front	mm	1,420	
	Rear	mm	1,410	
Minimum turning radius		m	4.7	
Minimum ground clearance		mm	145	
CAPACITIES				
Seating capacity		persons	5	
Fuel tank capacity		litres	35	
Luggage capacity	Rear seatback raised (VDA method)	litres	254	
ENGINE				
Туре			K10B	
Number of cylinders			3	
Number of valves			12	
Piston displacement		cm ³	998	
Bore x stroke		mm	73.0 x 79.5	
Compression ratio			11.0	
Maximum output		kW/rpm	50/6,000	
Maximum torque		N∙m/rpm		
Fuel distribution			Multipoint injection	
TRANSMISSION				
Туре			5MT	
Gear ratio	1st		3.545	
	2nd		1.904	
	3rd		1.280	
	4th		0.966	
	5th		0.783	
	Reverse		3.272	
Final gear ratio			4.294	
WEIGHTS			VXR VXL	
Kerb weight		kg	785 795	
Gross weight			1260 1270	

Dimensions



Major Equipment

Transmission		5MT	5MT
Grade		VXR	VXL
CHASSIS			
Steering	Rack & pinion	S	S
Brakes	Font Ventilated disc	S	S
	Rear Drum, leading & trailing	S	S
Suspension	Front MacPherson strut with coil spring	S	S
	Rear Torsion beam with coil spring	S	S
Tyres and wheels	165/65R14 + steel wheels with full wheel cap	S	-
	165/65R14 + alloy wheels	-	S
Spare tyre and wheel	165/65R14 + steel wheel	S	S
EXTERIOR			
Front grille	Black with chrome accent	-	S
Outside door handles and Side Mirrors	Body coloured	_	S
VISIBILITY			
Headlamps	Halogen multireflector	S	S
Fog lamps		-	S
Wipers	Front: 2-speed (low, high) + intermittent + washer	S	S
Rear window demister	Training a proper (1977) intermittent i Washer	S	S
Out side mirror type	Manual knob	s	
out side illitor type	Electrically adjustable	-	S
STEERING AND INSTRUMENT PANEL	Liectrically aujustable	_	<u> </u>
3-spoke urethane steering wheel		S	S
Power steering		S	S
Tilt-adjustable steering wheel		S	S
Tachometer			S
	Fuel consumption indication	S S	S
Information display integrated into meter cluster	·	S	S
mic motor orderer	Distance to empty indication		-
	Digital clock	S	S
Key off and head lamp reminder		S	S
Driver's seatbelt warning		S	S
Door ajar warning light		S	S
Low fuel warning	Lamp	S	S
DRIVING AMENITIES			
Electric windows	Front	S	S
	Rear	S	S
Central door locking	Switch on driver's side	S	S
Remote-control door locks		S	S
Air conditioner	Manual	S	S
Heater		S	S
Audio	Antenna	S	S
	Speaker	2	4
	Radio-CD, Aux in and USB	S	S
	Bluetooth* audio	S	S
	Bluetooth* call	S	S

e		VXR	VXL
IOR			
ior trim and seat upholstery colour		S	S
t door trim	Fabric	-	S
n lights	Centre cabin light (3-position)	S	S
visors	With ticket holder (driver's side)	-	S
	With vanity mirror (driver's side)	-	S
st grips	Passenger's side	S	S
	Rear x 2	-	S
c holder**	5	S	S
louver bezels and audio system garnish	Chromed	-	S
accessory socket	Centre lower box	-	S
seats	60:40-split ratio	-	S
AGE AREA		S	S
luggage shelf		-	S
age area hook	Shopping bag hook	S	S
Y, SECURITY AND ENVIRONMENTAL COM	IPATIBILITY		
front airbags	Driver's side	-	S
	Passenger's side	-	S
belts	2-point RR CTR seatbelts	S	S
lproof rear door locks		S	S
		-	S
-mount stop lamp		S	S
obiliser		S	S
ty concept body designed to mize injury to pedestrians		S	S

lluetooth is a registered trademark of Bluetooth SIG, Inc.

*Floor console - Fr - 500 ml

Floor console - Rr - 1L

Rr. Door trim - LH & RH - 500 ml

K SUZUKI MOTOR CO. LTD. Reserves the right to change, without notice, prices, colours, materials, equipments, ecification and models and also to discontinue models.

ease visit nearest Suzuki Authorised Dealership for colour and vehicle availability.



PAK SUZUKI MOTOR CO. LTD.

Head Office Karachi:

DSU-13, Pak Steel Industrial Estate, Bin Qasim, Karachi. Call Centre: 111-5UZUKI (021-111-789-854) Tei: 34723551-58 Fax: 34723521-3 E-mail: customercentre@paksuzuki.com.pk Website: www.paksuzuki.com.pk

Booking Office Karachi: Shop No. G 27 - 28, Ocean Mall, Clifton, Karachi Tel: 021-35166647

Region Office Lahore:

7-A, Aziz Avenue, Canal Bank Road, Gulberg-5, Lahore. Tel: 042-35775456-7 Fax: 042-35775467

Booking Office Lahore:

Shop# 06, Arcade Block, Behind Bundu Khan Restaurant, Fortress Stadium, Lahore. Tel: 042-36688853-4

Region Office Rawalpindi:

3rd Floor Malhi Plaza, Opp. Ministry of Defence, Production Building, Murree Road, Rawalpindi, Cantt. Tel: 051-5130229-31 Fax: 051-5130232

Booking Office Islamabad:

Outlet No. 2, Lower Ground Floor, Opposite Hyperstar, World Trade Center - Giga Mall, Islamabad. Tel: 051-2725628

Booking Office Peshawar:

Shop Lower Ground 2, Ground Floor Near Nadra Office, Deans Trade Center, Saddar Peshawar, Cantt. Tel: 091-5603208



Region Office Multan: Office No. 402, 4th Floor

United Mall, Abdali Road, Multan. Tel: 061-4586489, 4516491 Fax: 061-4581353







IT'S BRIGHTER - IT'S BETTER - IT'S BOLDER

The All-New Suzuki Cultus - Progressive Technology that fits the modern world. Be it a race to the office, a highway frenzy or the daily rush-hour, it is equipped with Auto Gear Shift that makes your drive absolutely effortless.



Major Specifications

Steering		RHD
Number of doors		5-door
Engine		Petrol
		1.0L
Drive system		2WD
DIMENSIONS		
Overall length	mm	3,600
Overall width	mm	1,600
Overall height	mm	1,540
Wheelbase	mm	2,425
Tread	Front mm	1,420
	Rear mm	1,410
Minimum turning radius	m	4.7
Minimum ground clearance	mm	145
CAPACITIES		
Seating capacity	persons	5
Fuel tank capacity	litres	35
Luggage capacity	Rear seatback raised (VDA method) litres	254
ENGINE		
Туре		K10B
Number of cylinders		3
Number of valves		12
Piston displacement	cm ³	998
Bore x stroke	mm	73.0 x 79.5
Compression ratio		11.0
Maximum output	kW/rpm	50/6,000
Maximum torque	N·m/rpm	90/3,500
Fuel distribution		Multipoint injection
TRANSMISSION		
Туре		AGS
Gear ratio	1st	3.545
	2nd	1.904
	3rd	1.280
	4th	0.966
	5th	0.783
	Reverse	3.272
Final gear ratio		4.470
WEIGHTS		VXL
Kerb weight	kg	795
Gross weight	kg	1270









Powerpack Features

Dual Airbags

Engine

K-Series Fuel Efficient ABS Brakes with EBD

Major Equipment

Transmission		AGS
Grade		VXL
CHASSIS		
Steering	Rack & pinion	S
Brakes	Font Ventilated disc	S
	Rear Drum, leading & trailing	S
Suspension	Front MacPherson strut with coil spring	S
	Rear Torsion beam with coil spring	S
Tyres and wheels	165/65R14 + alloy wheels	S
Spare tyre and wheel	165/65R14 + steel wheel	S
EXTERIOR		
Front grille	Black with chrome accent	S
Outside door handles and Side Mirrors	Body coloured	S
VISIBILITY		
Headlamps	Halogen multireflector	S
Fog lamps		S
Wipers	Front: 2-speed (low, high) + intermittent + washer	S
Rear window demister		S
Out side mirror type	Electrically adjustable	S
STEERING AND INSTRUMENT PANEL		
3-spoke urethane steering wheel		S
Power steering		S
Tilt-adjustable steering wheel		S
Tachometer		S
Information display integrated	Fuel consumption indication	S
into meter cluster	Distance to empty indication	S
	Digital clock	S
	Gear Indicator	S
Key off and head lamp reminder		S
Driver's seatbelt warning		S
Door ajar warning light		S
Low fuel warning	Lamp	S
DRIVING AMENITIES		3
Flectric windows	Front	S
Electric willdows	Rear	S
Central door locking	Switch on driver's side	S
Remote-control door locks	oman on anyon o side	S
Air conditioner	Manual	\$ \$
Heater	Marida	
Audio	Antenna	S
Audio	Speaker	
	Radio-CD. Aux in and USB	4
	Bluetooth* audio	S
		S
	Bluetooth* call	S

Grade		VXL
INTERIOR		
Interior trim and seat upholstery colour		S
Front door trim	Fabric	S
Cabin lights	Centre cabin light (3-position)	S
Sun visors	With ticket holder (driver's side)	S
	With vanity mirror (driver's side)	S
Assist grips	Passenger's side	S
	Rear x 2	S
Drink holder**	5	S
Side louver bezels and audio system garnish	Chromed	S
12V accessory socket	Centre lower box	S
SEATS		
Rear seats	60:40-split ratio	S
LUGGAGE AREA		
Rear luggage shelf		S
Luggage area hook	Shopping bag hook	S
SAFETY, SECURITY AND ENVIRONMENTAL COM	IPATIBILITY PATIFICATION OF THE PATIFICATION O	
SRS front airbags	Driver's side	S
	Passenger's side	S
Seatbelts	2-point RR CTR seatbelts	S
Childproof rear door locks		S
ABS		S
High-mount stop lamp		S
Immobilizer		S
Safety concept body designed to		S
minimize injury to pedestrians		3

* Bluetooth is a registered trademark of Bluetooth SIG, Inc.

**Floor console - Fr - 500 ml **Floor console - Rr - 1L

**Rr. Door trim - LH & RH - 500 ml

PAK SUZUKI MOTOR CO. LTD. Reserves the right to change, without notice, prices, colours, materials, equipments, specification and models and also to discontinue models.

Please visit nearest Suzuki Authorised Dealership for colour and vehicle availability.

Exterior Colours