



#### PAK SUZUKI MOTOR CO. LTD.

#### Head Office Karachi:

DSU-13, Pak Steel Industrial Estate, Bin Qasim, Karachi. Call Centre: 111-SUZUKI (021-111-789-854) Tel: 34723551-58 Fax: 34723521-3 E-mail: customercentre@paksuzuki.com.pk Website: www.suzukipakistan.com

Regional Office South: Plot No. 49-B, Block No. 6,

PECHS, Main Shahrah-e-Faisal, Karachi. Tel: 021-34541101-02

Regional Office Central Punjab:

7-A, Aziz Avenue, Canal Bank Road, Gulberg-5, Lahore. Tel: 042-35775456-7 Fax: 042-35775467 Suzuki Pakistan Suzuki Pakistan Suzuki Pakistan Suzuki Pakistan

Regional Office South Punjab: Office No. 402, 4th Floor

United Mall, Abdali Road, Multan. Tel: 061-4586489, 4516491 Fax: 061-4581353 Regional Office North:

3rd Floor Malhi Plaza, Opp. Ministry of Defence, Production Building, Murree Road, Rawalpindi, Cantt. Tel: 051-5130229-31 Fax: 051-5130232







EXTERIOR	.6
INTERIOR	[8
PERFORMANCE	34
SAFETY	46
DRIVING AMENITIES	52
ACCESSORIES	30









#### **ALLOY WHEELS**

Polished alloys add to the appeal of your Swift, allowing the suspension to follow terrain more easily, providing you with a better grip and a sporty look.

#### **KEYLESS SMART ENTRY**

Proximity alerts your car even when you have the remote in your pocket. Enjoy your new favourite no-contact sport!



#### **BACK DOOR HANDLES**

Pillar mounted back door handles, crafted for people with an eye for style, give your Swift that sporty vibe.



Two-tone colour demands respect





















## STYLISH, FUNCTIONAL, REFINED SEATING

Slide in behind the wheel and you'll see the clean, elegant lines and attention to detail that gives a more comfortable and efficient driving experience. The cylindrical gauges, cockpit-like center console give a feeling of confidence before you even start the engine.

## ABSOLUTE CONTROL WITH HEIGHT ADJUSTMENT

Pull up or push down the adjustment lever to raise or lower the seat according to your preference.







#### **BLUETOOTH COMPATIBLE AUDIO SYSTEM**

Enjoy music and respond to or make calls conveniently, connect your phone to the infotainment system through Bluetooth.

#### **NAVIGATION SYSTEM**

Explore new routes with your Suzuki Swift's navigation system. Always know where you are and where you're headed.

#### INDEPENDENT SIM CONNECTION

Give your Suzuki Swift its own connection, without any hassle and complicated controls. Simply add a sim to the infotainment system.

#### 9 INCH SCREEN

Sporting the largest screen in the category, 9 inches of screen-real-estate means a clearer, enhanced display.

#### MORE WIRELESS CONNECTIONS AND SCREEN MIRRORING

Functions beyond just music and calling, connect your Android or Apple smartphones to the infotainment system for screen mirroring.

#### **ULTRA-SMOOTH SPEEDY EXPERIENCE**

Octa-core processor with 4GB RAM


























\*







#### SPACE THAT'S STYLISH YET SENSIBLE

An evolution in vehicle packaging allows your Swift to meet the needs of drivers who want both style and space. 265 liters of extra allowance in the cabin and luggage space goes a long way.

Maximize the joy of pursuing your hobbies or in simply having more space for fun.















#### A HEART-THROBBING DRIVING PULSE AND **UNCOMPROMISING FUEL EFFICIENCY**

Quick and expansive acceleration. VVT technology for excellent

#### VARIABLE VALVE TIME (VVT)


VVT technology provides an enhanced engine performance by varying the time engine vales stay open. This ensures better fuel consumption and minimal exhust emissions, so fuel is burned more cleanly and efficiently.


## 1.2 PETROL ENGINE - MORE POWERFUL

Heightened compression ratio results in better thermal efficiency for powerful driving. Knocking, is suppressed by the engine's augmented cooling performance. Fuel combustion has been enhanced, friction has been reduced and efforts have been made to make the engine light and compact.










#### LIGHTNESS AND STRENGTH FOR ENHANCED FUNDAMENTAL PERFORMANCE

The HEARTECT next-generation platform features a high-rigidity frame that contributes to crash safety, and the frame's continuous and smoothly curving shape with fewer joints effectively disperses impact energy in case of a collision. As part of HEARTECT, a newly designed suspension, both up-front and in the rear, underpins a nimble driving experience, providing both the linear steering control for which the all-new Swift is known, and a ride quality that is solid yet supple and comfortable.

43

# LIGHT AND HIGHLY RIGID BODY FOR AGILE DRIVING AND GOOD FUEL ECONOMY

Extensive use of high-tensile steel and ultra-high-tensile steel such as in the upper body and underbody, achieves both lightness and high rigidity for enhanced driving pleasure and excellent fuel economy.





## MINIMUM TURNING RADIUS OF 4.8M FOR EASIER MANEUVERABILITY

Use of the new platform allows for an impressive turning angle, resulting in a turning radius of only 4.8m. Enabling small turns on narrow streets and in tight parking spaces.








#### INJURY MITIGATION BODY FOR PEDESTRIAN SAFETY

Pedestrian safety has also been thoroughly considered. Such features as an impact-absorbing bonnet, wiper system and front bumper are designed to mitigate pedestrian head and leg injuries in the event of a collision.




#### ABS + EBD FOR SUPPORTING DRIVE BRAKING

Suzuki Swift assures the safety of drivers, with Anti-Lock Braking System. ABS ensures safety in case of sudden emergency brakes and along with Electronic Brakeforce Distribution (EBD), distributes the force of braking automatically on all wheels separately, to avoid collision and also increase vehicle traction while on road.



#### **ESP CONTROL**

Should the wheels lose traction, ESP (Electronic Stability Program) control automatically adjusts the engine and brakes to help keep the driver in control.



#### HILL HOLD CONTROL

Your Suzuki Swift is focused on serving your needs to exactly the right degree.





#### CAR ALARM

A robust car alarm system provides security against unauthorized access.



#### ISOFIX STANDARD

ISOFIX child seat mount which ensures a firm tethering of the seat and provides absolute protection for your child.


# 6 OCCUPANT-PROTECTIVE SRS AIRBAG SYSTEM FOR COLLISION SAFETY

Your protection is top priority for the Suzuki Swift which comes fitted with 6 power-packed SRS airbags












Booming surround sound system in the front and rear creates just the mood needed for a fun drive with your squad.

Designed with elegant side mirrors that are retractable and adjustable at the touch of a button. Fitted with turning side lamps that pivot, allow the driver to feel absolute control.

Designed to give you optimized support and ultimate convenience while parking.

#### **REAR VIEW CAMERA**

A wide view angle provides you with increased visibility when backing out of a driveway or a car park. It indicates the projected trajectory of your vehicle for added safety.



Serving your needs to exactly the right degree.
The climate control panel allows intuitive
operation with easy recognition through the use
of a high-contrast LCD on the GLX grade.









#### MAJOR EQUIPMENT


	Suzuki Swift		
	GL	GL (CVT)	GLX (CVT)
FF	2WD	2WD	2WD
Silky Silver, Solid White, Mineral Gray	Body Colour	Body Colour	Chrome
Phoenix Red, Cerulean Blue, Black	Black	Black	Chrome
Body colour	S	S	S
Halogen Multi-reflector	S	S	20
LED projector	39)	3,5-3	S
Manual	S	S	S
	S	S	S
*LED (Mounted on front bumper)*	S	S	\$
*LED (Integrated in H/L)*	828	1940	S
Bulb	S	S	S
LED	S	S	S
LED	S	S	S
	959	452	S
Front: 2 speeds (low,high) + adjustable intermittent	S	S	S
Rear: Intermittent	S	S	S
Electrical adjust	S	S	S
Electrical fold (retractable)	929	8 <del>5</del> 3	S
With built-in turn signal lamp	850	0.E1	S
Electric	S	S	S
Tilt-adjust	S	S	S
Telescopic	851	5.51	S
Hands-free & Audio controls switch	15	4 <del>5</del> 3	S
	S	S	S
	S	S	S
	Analogue	Analogue	Analogue
	Bar	Bar	Needle
Instant fuel economy, Driving time, Speed, Range, Average fuel economy, Average speed	252	N2	S
Front-Electric (with driver side anti-pinch technology)	S	S	S
Rear-Flectric	S	S	S
Smart trunk opener		-	S
		200	S
Light-off & key reminder			S
Manual	1765	10.00.1	- 3
Automatic	-	2	S
Puncture repair kit		S	S
	Silky Silver, Solid White, Mineral Gray Phoenix Red, Cerulean Blue, Black Body colour  Halogen Multi-reflector LED projector Manual  *LED (Mounted on front bumper)* *LED (Integrated in H/L)* Bulb LED LED  Front: 2 speeds (low,high) + adjustable intermittent Rear: Intermittent Electrical adjust Electrical fold (retractable) With built-in turn signal lamp  Electric Tilt-adjust Telescopic Hands-free & Audio controls switch  Instant fuel economy, Driving time, Speed, Range, Average fuel economy, Average speed  Front-Electric (with driver side anti-pinch technology) Rear-Electric  Driver	Silky Silver, Solid White, Mineral Gray Phoenix Red, Cerulean Blue, Black Body colour  S  Halogen Multi-reflector LED projector Manual S *LED (Mounted on front bumper)* *LED (Integrated in H/L)* Bulb S LED S LED S Front: 2 speeds (low,high) + adjustable intermittent Rear: Intermittent S Electrical adjust Electrical fold (retractable) With built-in turn signal lamp  Electric Tilt-adjust Telescopic Hands-free & Audio controls switch  Front-Electric (with driver side anti-pinch technology) Rear-Electric S Tilver S Manual  S Manual  S Manual  S Manual  S  Black	Silky Silver, Solid White, Mineral Gray   Body Colour   Body Colour   Phoenix Red, Cerulean Blue, Black   Black   Black   Body colour   S   S

Variant		GL	GL (CVT)	GLX (CVT)
Cruise control		2	5	S
Sports mode		2	S	S
Audio	Front Speakers x 2	S	S	S
	Rear Speakers x 2	-	-	S
	Antenna (Roof) Micropole	S	S	S
22 (42	Remote control door opening / locks	S	S	S
Keyless entry	Smart keyless entery	2	ş	S
Keyless push start	1		20	S
Interior	V			
Door bottle holders	Front Door (1000ml)	S	S	S
	Rear door (600ml)	S	S	S
Door trim pocket	Front/Rear	S	S	S
Inside door handle	Chrome plating		3	S
Gear Shift knob	With ornament	Piano Black	Piano Black	Piano Black
Inside rearview mirror	Manual dimming	S	S	S
Foot rest	Driver	-	S	S
	Front	2	2	2
Cup holder	Rear	1	1	1
Luggage area light	neur	S	S	S
Accessory socket		S	S	S
Accessory socker	B	3		
Sun visor	Driver & Passenger: with ticket holder and vanity mirror	S	S	S
Room lamp	Roof Front (3-position)	S	S	S
Seats	-			
Front Seat	Headrest	Separate Type	Separate Type	Separate Typ
	Height adjuster (Driver)	S	S	S
Rear Seat	Headrest	S	S	S
Safety and Security				
Childproof rear door locks	Rear door	S	S	S
Rear Seat ISOFIX Anchor		S	S	S
	Driver	S	S	S
Front airbag	Passenger	S	S	S
Side airbags	Front	S	S	S
Curtain airbags		S	S	S
ABS with EBD		S	S	S
ESP		S	S	S
Parking sensors	Topological Control of the Control o	0.9	3,50	S
raiking sensors	Rear			
runking scrisors	Rear	12	5	3.
	Rear  Driver & Passenger (3-point ELR seatbelts with force limiter and shoulder height adjuster)	S	S	S
	Driver & Passenger (3-point ELR seatbelts with force limiter and shoulder	150		
	Driver & Passenger (3-point ELR seatbelts with force limiter and shoulder height adjuster)	s s	S	S
Seat belts	Driver & Passenger (3-point ELR seatbelts with force limiter and shoulder height adjuster)  Rear (3-point ELR - side & centre)	s s	s s	s
Seat belts Immobiliser	Driver & Passenger (3-point ELR seatbelts with force limiter and shoulder height adjuster)  Rear (3-point ELR - side & centre)	S S S	S S S	S S
Seat belts Immobiliser Security alarm Hill hold control	Driver & Passenger (3-point ELR seatbelts with force limiter and shoulder height adjuster)  Rear (3-point ELR - side & centre)	\$ \$ \$ \$	\$ \$ \$ \$	S S S

#### MAJOR SPECIFICATIONS

Variant		GL	GL (CVT)	GLX (CVT)		
Dimension						
Overall length	mr	n	3,845			
Overall width mm		n	1,735			
Overall height	mr	n	1,520			
Wheelbase	mn	n	2,450			
Toront	Front mn	n	1,515			
Tread	Rear mn	n	1,520			
Ground clearance	mn	n	160			
Turning radius	n	1	4.8			
Curb weight	kg	855	885	895		
Capacity						
Fuel Tank Capacity	L	37	37	37		
Seating Capacity		5	5	5		
Engine			-0-			
	Type (VVT)*		K12M			
	Valve mechanism		DOHC 16 Valve VVT			
	Piston displacement (cc)		1,197			
2.0	Bore x stroke (mm)		73.0×71.5			
Engine	Compression ratio		11			
	Maximum output (kW/rpm)		61/6,000			
	Maximum torque (N *m/rpm)		113/4,200			
	Fuel tank capacity (L)		37			
Chassis						
Wheel	16 inches Alloy wheels (Polished/Painted) + Center wheel cap	Painted	Painted	Polished		
25standere	Front ventilated disc	S	S	S		
Brakes	Rear drum	S	S	S		
	Front (MacPherson strut)	S	S	S		
Suspension	Rear (Twist-beam)	S	S	S		
Tyre size		185/55R16	185/55R16	185/55R16		
Transmission						
Туре		5MT	CVT	CVT		
	1st	3.545	1.001, HIGH:2.200 ~			
Gear Ratio	2nd	1.904				
	3rd	1.240		1.001,		
	4th	0.914		HIGH:2.200 ~		
	5th	0.717	0.550)	0.550)		
	Reverse	3.272	3.771	3.771		
	Final Gear Ratio	4.388	3.757	3.757		

<sup>\*</sup>variable valve timing



PAK SUZUKI MOTOR CO. LTD. reserves the right to change, without notice, prices, colors, materials, equipments, specifications & models and also to discontinue the models

\* Some pictures used in this brochure are of international models

that lasts

Your unshakable relationship with Suzuki is backed, by a country-wide network of sales, service and spare parts. Wherever you may be, you can trust there is a comprehensive eco-system you can rely on.



## LARGEST DEALERSHIP NETWORK

Find 168 outlets in 91 cities.



WARRANTY Enjoy 3 years or 60,000 km warranty.



# EXTENDED WARRANTY Peace of mind with complementary services.



## GENUINE SPARE PARTS

Convenience of easy availability of spare parts, nationwide.



### LARGEST SERVICE SHOP GRID

Experience the country's largest service shop network.



# FIRST TWO FREE SERVICES Get the first two services absolutely free.



### SUZUKI ROADSIDE ASSISTANCE

Always ready to support in case of a car breakdown, our technically equipped, highly trained staff is one you can count on.